U.S. Department
of Transportation

**National Highway
Traffic Safety
Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***

Case Vehicle (A): 1999 Pontiac
Type: Grand Am, 2-door coupe
Driver: 28-year-old male
CDC: 12-FREN-5, 12-LDES-2

SITUATION

(Slide 1) Case vehicle (A) was traveling south in the southbound lane of a straight section of a dry, asphalt, two-lane roadway, (slides 2, 3) with a speed limit of 89 kph (55 mph). Case vehicle (A) drifted across the centerline, departed the east shoulder of the roadway, and traveled down a shallow embankment. The left side of case vehicle (A) sideswiped a clump of trees before case vehicle (A) struck a tree with its right-front bumper corner. Case vehicle (A) came to rest facing south-southeast. The driver of case vehicle (A) had a blood alcohol level of .16 percent.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 4) Damage to case vehicle (A) was severe. The direct-damage length was 37 cm and began 10-cm in board of the right-front bumper corner. The maximum crush to the bumper was 116 cm and occurred at the right-front bumper corner. The left wheelbase was extended 13 cm, and the right wheelbase was reduced 42 cm. The maximum crush above the sill associated with the sideswipe impact was estimated to be 14 cm.

Using the WinSMASH accident-reconstruction program and (slides 5, 6, 7, 8) c-values for case vehicle (A), the following impact severity was calculated:

Vehicle	Variable	Calculated Velocity Change - kph (mph)		
		Total	Longitudinal	Latitudinal
Case Vehicle (A)	delta V	71 (44)	-71 (-44)	0 (0)

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

(Slides 9, 10, 11) The front bumper, both headlight assemblies, the grille, the radiator, the right fender, and the right-front wheel and strut were damaged. The hood was crushed, and the hood

latch was jammed. Both hood hinges were damaged, but did not separate. The rear edge of the hood was elevated and it contacted the windshield, but did not penetrate it. (Slide 12) The windshield was holed from the bottom right corner up to approximately two-thirds the height of the right A-pillar. Both doors remained closed during the crash, but were sprung and would not close post-crash.

Interior

(Slides 13, 14, 15, 16, 17) This vehicle was equipped with both steering-wheel and passenger frontal-impact airbags, which deployed during the frontal impact. No damage was noted to the airbag skins or (slides 18, 19, 20, 21) to the module doors/flaps. (Slide 22) The steering-wheel rim was not deformed and there was no deformation of the steering-wheel spokes. The steering column was rotated up and to the right. (Slides 23, 24, 25) The following intrusions were noted and measured.

Location	Component	Distance (cm)	Direction
left front	toepan	35	to rear
left front	instrument panel	10	to rear
left front	door	14	to right
left front	steering column	3	to rear
center front	instrument panel	24	to rear
right front	instrument panel	21	to rear
right front	toepan	54	to rear

(Slides 26, 27, 28, 29, 30) The right side of the roof structure, the right side of the windshield header, and the right upper and lower A-pillar were damaged due to buckling of the vehicle body. The upper, mid and lower instrument panels, the upper and mid climate control vents, the radio, the ash tray, the parking brake lever, the glove box door, and the foot controls were damaged due to intrusion. The rearview mirror, the vertical console, the climate control knobs, the center console, and the transmission selector lever were damaged from driver contact. The left-front seat was found in the full rear position.

OCCUPANT INJURIES AND KINEMATICS

The 6-ft, 0-in, 230-lb, 28-year-old male driver (slides 31, 32) was *not* wearing the available three-point belt, and the steering-wheel airbag deployed. On impact, he moved forward and to

the right, skipped off the airbag, and (slides 33, 34, 35, 36, 37) contacted the vertical console with his torso and right arm. He sustained a fracture and a contusion to the left thumb, probably from contact with the steering-wheel rim, but possibly from contact with the windshield. He sustained an abrasion to the right side of his chest, probably from contact with the airbag, but possibly from contact with the vertical console. He sustained a comminuted fracture of the right humeral neck with posterior humeral head subluxation, and an abrasion to the right posterior forearm, probably from contact with the vertical console. (Slide 38) He sustained a contusion to the left lateral thigh, probably from contact with the interior surface of the left door during the sideswipe. (Slides 39, 40, 41, 42) He sustained an intertrochanteric fracture of the right femur and an open transverse fracture of the mid and distal 1/3rd of the right femoral shaft due to axial loading from contact with the knee bolster. He also sustained abrasions over both tibias, probably from contact with the knee bolster. (Slide 43) The rearview mirror was found off of its mounting plate, but no injuries were reported that could be associated with it.

The following table and (slide 44) attached drawing summarize the injuries sustained by the driver.

Occupant: Driver
Restraints: 3-point belt *not* worn; airbag deployed

Age: 28 years
Stature: 183 cm (6 ft, 0 in)

Gender: Male
Mass: 104 kg (230 lb)

Injury Description	A.I.S.	Injury Source		
		Definite	Probable	Possible
Fracture, left thumb	1		Steering-wheel rim	Windshield
Contusion, left thumb	1		Steering-wheel rim	Windshield
Abrasion, right side of chest	1		Airbag	Vertical console
Fracture, comminuted, right humeral neck with posterior humeral head subluxation	3		Vertical console	
Abrasion, right posterior forearm	1		Vertical console	
Contusion, left lateral thigh	1		Interior surface of door (during first impact)	
Intertrochanteric fracture, right femur	3		Knee bolster	
Fracture, transverse, open, of the mid and distal 1/3rd of the right femoral shaft	3		Knee bolster	
Abrasions, left tibia	1		Knee bolster	
Abrasions, right tibia	1		Knee bolster	
Maximum A.I.S. Level	3			
Injury Severity Score	10			

Duplicate columns 1-8 from the previous card. Module G (9) I (10) Format 0 (11) 2 (12)

GENERAL INFORMATION GI-1

TIME

DATE OF COLLISION

__ __ / __ __ / __ __ __ __
m m d d y y y y

HOUR OF COLLISION (24 HOUR CLOCK) __ (21) __ __ __ (24)

LOCATION

STATE: _____

STATE FIPS CODE (25) (26)

AREA

(1) URBAN
(2) RURAL
(9) UNKNOWN

2 (27)

ENVIRONMENTAL CONDITIONS

LIMITED-ACCESS HIGHWAY

(0) NO
(1) YES
(9) UNKNOWN

0 (28)

ROAD, TOTAL TRAFFIC LANES *(FOR CASE VEHICLE)*

(1) 1-LANE
(2) 2-LANES
(3) 3-LANES
(4) 4 OR MORE LANES
(5) DIVIDED, 4 OR MORE LANES
(6) PARKING LOT/DRIVEWAY
(7) OTHER: _____
(9) UNKNOWN

2 (29)

INTERSECTING RD, TOTAL LANES
CHOOSE FROM ABOVE LIST, OR

(8) NOT APPLICABLE

8 (30)

TYPE OF ROAD SURFACE

(1) ASPHALT
(2) CONCRETE
(3) GRAVEL
(4) MORE THAN ONE *(CIRCLE EACH)*
(7) OTHER: _____
(9) UNKNOWN

1 (31)

ROAD DEFECTS

(0) NO
(1) YES
(9) UNKNOWN

0 (32)

ENVIRONMENTAL CONDITIONS

CONSTRUCTION ZONE

(0) NO
(1) YES
(9) UNKNOWN

0 (33)

ROAD ALIGNMENT VERTICAL PLANE

(1) LEVEL
(2) CREST OF HILL
(3) SLOPE *(2%)*
(4) BOTTOM OF HILL
(9) UNKNOWN

1 (34)

ROAD ALIGNMENT HORIZONTAL PLANE

(1) STRAIGHT
(2) CURVE
(3) T - SHAPED
(4) Y - SHAPED
(7) OTHER: _____
(9) UNKNOWN

1 (35)

SURFACE COVERING

(10) DRY

(21) WATER - DAMP
(22) WATER - WET
(23) WATER - PUDDLED
(29) WATER - AMOUNT UNKNOWN

(31) SNOW - LOOSE
(32) SNOW - PACKED
(39) SNOW - CONDITION UNKNOWN

(41) ICE
(51) SLUSH
(61) SPILLED GRAVEL
(71) OTHER: _____
(99) UNKNOWN

1 (36) 0 (37)

VISIBILITY LIMITATION *(FOR CASE VEHICLE)*

(0) NONE
(1) CLOUDY/DARK
(2) FOG
(3) SMOKE
(4) WINDSHIELD CONDITION
(5) GLARE
(6) RAIN
(7) OTHER: _____
(8) ICE/SNOW
(9) UNKNOWN

0 (38)

VISIBILITY OBSTRUCTION *(FOR CASE VEHICLE)*

(0) NONE
(1) BUILDING
(2) SIGN
(3) VEGETATION *(E.G. BUSHES, SHRUBS)*
(4) TREE
(5) HILL OR CURVE IN ROAD
(6) VEHICLE IN TRANSPORT
(7) OTHER: _____
(8) PARKED VEHICLE
(9) UNKNOWN

0 (39)

ENVIRONMENTAL CONDITIONS

SPEED LIMIT

(0) 5-45 km/h ..... 5-25 mph
(1) 46-55 30
(2) 56-60 35
(3) 61-70 40
(4) 71-79 45
(5) 80-85 50
(6) 86-90 55
(7) 91-105 60
(8) OVER 105 65
(9) UNKNOWN

6 (40)

PRECIPITATION

(0) NONE
(1) RAIN
(2) SNOW
(3) HAIL
(4) FREEZING RAIN/SLEET
(7) OTHER: _____
(9) UNKNOWN

1 (41)

RATE OF PRECIPITATION

(1) LIGHT/MIST
(2) MODERATE
(3) HEAVY
(8) NOT APPLICABLE
(9) UNKNOWN

8 (42)

TEMPERATURE

(0) BELOW -15° C ..... BELOW 5° F
(1) -15 TO -6 ..... 5 TO 22
(2) -5 TO -1 ..... 23 TO 31
(3) 0 TO 2 ..... 32 TO 36
(4) 3 TO 5 ..... 37 TO 41
(5) 6 TO 15 ..... 42 TO 59
(6) 16 TO 25 ..... 60 TO 77
(7) 26 TO 35 ..... 78 TO 95
(8) OVER 35 ..... OVER 96
(9) UNKNOWN

9 (43)

CROSSWIND

(0) NONE
(1) LIGHT
(2) STRONG
(3) GUSTY & STRONG
(9) UNKNOWN

9 (44)

LIGHT CONDITIONS

(1) DAYLIGHT
(2) DAWN
(3) DUSK
(4) DARK, LIGHTED
(5) DARK, UNLIGHTED
(6) DARK, UNKNOWN IF LIGHTED
(9) UNKNOWN

5 (45)

MECHANICAL MALFUNCTION

WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE

(0) NO
(1) YES
(2) YES, DID NOT CONTRIBUTE TO ACCIDENT
(9) UNKNOWN

0 (46)

THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED.

CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS.

BRAKE SYSTEM	DRIVER CONTROLS
EXHAUST SYSTEM	POWER TRAIN
STEERING SYSTEM	FUEL SYSTEM
SUSPENSION SYSTEM	VISIBILITY ITEMS
ELECTRICAL SYSTEM	TIRES
THROTTLE CONTROLS	UNKNOWN

OTHER: _____

COMMENTS: _____

CRASH DETAILS

CASE VEHICLE AND OBJECT

(0) NO
(1) YES
(9) UNKNOWN

1 (47)

CASE VEHICLE ROLLOVER

(0) NO ROLLOVER
(1) YES, FIRST EVENT
(2) YES, SUBSEQUENT EVENT
(3) YES, SEQUENCE UNKNOWN
(9) UNKNOWN

0 (48)

CASE VEHICLE RAN OFF ROADWAY
(BEFORE FIRST IMPACT)

(0) NO
(1) YES
(9) UNKNOWN

1 (49)

MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE

(0) NO
(1) YES
(9) UNKNOWN

0 (50)

CASE VEHICLE AND CONTACTED STOPPED VEHICLE

(0) NO
(1) YES
(9) UNKNOWN

0 (51)

STOPPED CASE VEHICLE AND CONTACTED VEHICLE

(0) NO
(1) YES
(9) UNKNOWN

0 (52)

TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH

(8) 8 OR MORE
(9) UNKNOWN

0 (53)

ANY FIRE IN THIS CRASH
(NOT JUST CASE VEHICLE)

(0) NO
(1) YES
(9) UNKNOWN

0 (54)

HIGHEST POLICE INJURY SEVERITY CODE IN CRASH
(NOT JUST CASE VEHICLE)

(0) O - NO INJURY
(1) C - POSSIBLE INJURY
(2) B - NON-INCAPACITATING INJURY
(3) A - INCAPACITATING INJURY
(4) K - FATAL
(5) INJURED, SEVERITY UNKNOWN
(6) DIED PRIOR TO ACCIDENT
(7) NON-FATAL INJURY SEVERITY UNKNOWN
(9) UNKNOWN

3 (55)

DRIVER IMPAIRMENT

DRIVER ALCOHOL INVOLVEMENT
(CASE VEHICLE)

(0) NONE
(1) YES
(9) UNKNOWN/NOT REPORTED/ NO DRIVER

1 (56)

DRIVER ALCOHOL BAC
(CASE VEHICLE)

(80) NO TEST
(90) CHEMICAL TESTS, NO RESULTS
(95) AUTOPSY, NO RESULTS
(99) UNKNOWN

16 (57-58)

WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE?

(0) NO
(1) YES
(9) UNKNOWN

0 (59)

LIST IMPAIRMENTS MENTIONED:

POST - CRASH DETAIL

MANNER CASE VEHICLE LEFT SCENE

(1) DRIVEN
(2) TOWED DUE TO DAMAGE
(3) TOWED, NOT DUE TO DAMAGE
(4) TOWED, REASON UNKNOWN
(9) UNKNOWN

2 (60)

ACCIDENT SCHEMATIC

ACCIDENT DESCRIPTION: Case vehicle (A) was traveling south in the southbound lane of a 2-lane roadway. Case vehicle (A) drifted across the center line, departed the roadway, and traveled down a shallow embankment. The left side of case vehicle (A) sideswiped a clump of trees before case vehicle (A) struck a tree with it right-front bumper. Case vehicle (A) came to rest facing south-southeast. The driver of case vehicle (A) had a blood alcohol level of .16 percent

CASE VEHICLE (A): 1999 Pontiac Grand Am

OTHER VEHICLE (B): N/A

THIRD VEHICLE (C): N/A

NORTH

Speed limit 55 mph



Duplicate columns 1-8 from the previous card. Module O (9) V (10) Format 0 (11) 4 (12)

OTHER VEHICLE OV-1

MAKE: _____

MODEL: _____

CARGO: _____

VIN ___ ___ ___ ___ ___ ___ ___ ___ ___ ___ ___ ___ ___ ___ ___ ___ ___ (13–29)

MANUFAC/BODY CODE ___ ___ ___ ___ ___ (30–34)

MAKE/MODEL CODE ___ ___ ___ ___ (38)

N/A

MODEL YEAR ___ ___ ___ ___ (39–42)

VEHICLE MASS *(kg)* ___ ___ ___ ___ ___ ___ (43–48)

IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER ___

NUMBER OF OCCUPANTS *(ENTER 9'S IF UNKNOWN)* ___ ___ (51)

TRAVELING SPEED *(km/h)* ___ ___ ___ (54)

- (000) PARKED OR STOPPED
- (995) JUST STARTING UP
- (996) BACKING UP
- (997) SPEED NOT EXCESSIVE *(BUT UNKNOWN)*
- (998) SPEED EXCESSIVE *(BUT UNKNOWN)*
- (999) UNKNOWN

HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE ___ (55)

- (0) O - NO INJURY
- (1) C - POSSIBLE INJURY
- (2) B - NON-INCAPACITATING INJURY
- (3) A - INCAPACITATING INJURY
- (4) K - FATAL
- (5) INJURED, SEVERITY UNKNOWN
- (6) DIED PRIOR TO ACCIDENT
- (7) NON-FATAL INJURY SEVERITY UNKNOWN
- (8) UNOCCUPIED VEHICLE (NOT APPLICABLE)
- (9) UNKNOWN

VEHICLE TYPE ___ ___ (56–57)

PASSENGER VEHICLE
- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP CAR
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

MULTIPURPOSE PASSENGER VEHICLE
- (14) SMALL UTILITY *(WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO)*
- (15) LARGE UTILITY *(WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)*
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK
- (11) VAN
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS
- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

- (99) UNKNOWN

WHEELBASE *(cm)* ___ ___ ___ (58–60)
- (999) UNKNOWN

Duplicate columns 1-8 from the previous card. Module O (9) V (10) Format 0 (11) 2 (12)

OTHER VEHICLE OV-2

ORIGINAL SPECIFICATIONS

Wheelbase	_____ cm	Front Overhang	___ ___ ___ cm (22–24)
Curb Weight	_____ kg	Rear Overhang	___ ___ ___ cm (25–27)
Average Track Width	___ ___ ___ cm (13–15)	Undeformed End Width (UEW)	___ ___ ___ cm (28–30)
Overall Length	___ ___ ___ cm (16–18)	Engine Displacement	___ . ___ L (31–32)
Overall Width (OAW)	___ ___ ___ cm (19–21)	Engine: # of Cylinders	___ ___ (33–34)

VEHICLE DAMAGE

N/A

FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more
Enter % overlap or "99" for missing or N/A.

Direct Damage Length (DDL) ___ ___ ___ cm (35–37)

Front-End Overlap (Percent) = $\frac{DDL}{UEW}$ _____ ___ ___ % (38–39)

Vehicle Overlap (Percent) = $\frac{DDL + 1/2 (OAW - UEW)}{OAW}$ _____ ___ ___ % (40–41)

Duplicate columns 1-8 from the previous card. Module V (9) D (10) Format 0 (11) 4 (12)

VEHICLE DESCRIPTION VD-1

MAKE: Pontiac

MODEL: Grand Am SE

CARGO: None

VIN (13-29): 1 G 2 N E 2 X M 7 7 8 [redacted] 0 0 0 0 0

MANUFAC/BODY CODE (30-34): 11528

MAKE/MODEL CODE (35-38): 0331

MODEL YEAR (39-42): 1999

VEHICLE MASS *(kg)* (43-48): 00 1394

ODOMETER *(km)* (49-54)
(ENTER 9'S IF UNKNOWN)
(ENTER 8'S IF ELECTRONIC): 888888

NUMBER OF OCCUPANTS (56)
(ENTER 9'S IF UNKNOWN): 01

TRAVELING SPEED *(km/h)* (57-59): 999

- (000) PARKED OR STOPPED
- (995) JUST STARTING UP
- (996) BACKING UP
- (997) SPEED NOT EXCESSIVE *(BUT UNKNOWN)*
- (998) SPEED EXCESSIVE *(BUT UNKNOWN)*
- (999) UNKNOWN

VEHICLE TYPE (60-61): 12

PASSENGER VEHICLE
- (11) 2-DOOR HARDTOP *(NO UPPER B-PILLAR)*
- (12) 2-DOOR SEDAN OR COUPE *(ANY UPPER B-PILLAR)*
- (13) 4-DOOR HARDTOP
- (14) 4-DOOR SEDAN
- (15) STATION WAGON
- (16) CONVERTIBLE
- (18) OTHER PASS. VEH. : _____
- (19) PASSENGER VEHICLE, TYPE UNKNOWN

MULTIPURPOSE PASSENGER VEHICLE
- (21) SMALL UTILITY *(E.G. JEEP, SCOUT, BRONCO)*
- (22) LARGE UTILITY *(E.G. PANEL TRUCK, SUBURBAN)*
- (23) VAN, SIZE UNKNOWN
- (24) VAN, SMALL *(MINI)*
- (25) VAN, LARGE
- (29) MPV, TYPE UNKNOWN
- (30) MOTOR HOME

TRUCK
- (31) PICKUP TRUCK, UNKNOWN
- (32) PICKUP TRUCK, SMALL *(DOWNSIZED)*
- (33) PICKUP TRUCK, LARGE
- (99) UNKNOWN

STOLEN VEHICLE (62): 8

- (0) NO
- (1) YES
- (8) NOT COLLECTED
- (9) UNKNOWN

BODY STRUCTURE (63): 2

- (1) BODY & FRAME
- (2) UNITIZED
- (3) INTEGRAL-STUB FRAME
- (4) BODY & PLATFORM FRAME *(E.G. VW BUG)*
- (5) PARTIALLY UNITIZED
- (7) OTHER: _____
- (9) UNKNOWN

TRANSMISSION (64): 1

- (0) NONE
- (1) AUTOMATIC
- (2) MANUAL
- (9) UNKNOWN

LOCATION OF TRANSMISSION SELECTOR LEVER (65): 2

- (1) FLOOR
- (2) CONSOLE
- (3) COLUMN
- (7) OTHER: _____
- (9) UNKNOWN

STEERING (66): 1

- (1) POWER
- (2) MANUAL
- (9) UNKNOWN

BRAKES (67): 1

- (1) POWER
- (2) MANUAL
- (9) UNKNOWN

TYPE OF BRAKES

(1) DRUM, ALL WHEELS
(2) DISC, FRONT WHEELS
(3) DISC, ALL WHEELS
(9) UNKNOWN

2 (68)

BRAKE ANTI-LOCK DEVICE

(0) NONE INSTALLED
(1) TWO-WHEEL
(2) FOUR-WHEEL
(7) EQUIPPED, UNKNOWN WHEELS
(9) UNKNOWN

2 (69)

AIR CONDITIONING IN VEHICLE

(0) NO
(1) YES
(8) NOT COLLECTED
(9) UNKNOWN

8 (70)

TYPE OF DRIVE

(1) REAR WHEEL
(2) FRONT WHEEL
(3) FOUR WHEEL
(4) ALL WHEEL DRIVE
(9) UNKNOWN

2 (71)

DUAL REAR WHEELS

(0) NO
(1) YES
(9) UNKNOWN

0 (72)

ORIGINAL TYPE OF RESTRAINT SYSTEM

(1) ACTIVE BELT
(2) PASSIVE BELT
(3) AIRBAG
(4) KNEE BOLSTERS
(7) OTHER: _____
(8) NOT APPLICABLE *(NOT EQUIPPED)*
(9) UNKNOWN

3 (73)

EQUIPPED WITH ROLL BAR

(0) NO
(1) YES
(9) UNKNOWN

0 (74)

TYPE OF ROOF

(0) NONE
(1) SOLID
(2) T-TOP CLOSED
(3) T-TOP OPEN
(4) SUN ROOF CLOSED
(5) SUN ROOF OPEN
(6) CONVERTIBLE CLOSED
(7) CONVERTIBLE OPEN
(8) OTHER: _____
(9) UNKNOWN

1 (75)

WHEELBASE *(cm)*
(999) Unknown

271 (76 77 78)

PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED

(0) NONE
(1) WINDSHIELD
(2) WINDSHIELD AND SIDE
(7) OTHER
(9) UNKNOWN

0 (79)

FIELD INVESTIGATOR INSTRUCTIONS:

1. *INDICATE CRUSHED AREAS BY OUTLINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.*
2. *ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE.*
3. *ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR.*
4. *ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.*

EXAMPLES:

FRONT OR REAR



SIDE



ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)



Duplicate columns 1-8 from the previous card. Module V (9) D (10) Format 0 (11) 2 (12)

VEHICLE DESCRIPTION VD-3

ORIGINAL SPECIFICATIONS

Wheelbase	271 cm	Front Overhang (22-24)	101 cm
Curb Weight	1394 kg	Rear Overhang (25-27)	101 cm
Average Track Width (13-15)	150 cm	Undeformed End Width (UEW) (28-30)	150 cm
Overall Length (16-18)	473 cm	Engine Displacement (31-32)	3.4 L
Overall Width (OAW) (19-21)	179 cm	Engine: # of Cylinders (33-34)	06

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS



FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more
Enter % overlap or "99" for missing or N/A.

Direct Damage Length (DDL) (35-37) 999 cm

Front-End Overlap (Percent) = DDL / UEW (38-39) 99 %

Vehicle Overlap (Percent) = (DDL + 1/2 (OAW - UEW)) / OAW (40-41) 99 %

Duplicate columns 1-8 from the previous card. Module D (9) A (10) Format 0 (11) 2 (12)

DAMAGE DA-1

PRIMARY

	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	2 (13)	
IMPACT SPEED *(km/h)*	999 (14-16)	998 (35-37)
ESTIMATED BY	1 (17)	1 (38)
CRUSH *(cm)*	116 (18-20)	998 (39-41)
CDC #1	12FREN5 (21-27)	98.0000.0 (42-48)
CDC #2	98.0000.0 (28-34)	98.0000.0 (49-55)

Duplicate columns 1-8 from the previous card. Module D (9) A (10) Format 0 (11) 3 (12)

SECONDARY

	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	1 (13)	
IMPACT SPEED *(km/h)*	999 (14-16)	998 (35-37)
ESTIMATED BY	1 (17)	1 (38)
CRUSH *(cm)*	014 (18-20)	998 (39-41)
CDC #1	12LDES2 (21-27)	98.0000.0 (42-48)
CDC #2	98.0000.0 (28-34)	98.0000.0 (49-55)

CODES

EVENT NUMBER

(8) NOT APPLICABLE
(9) UNKNOWN

IMPACT SPEED

(998) NOT APPLICABLE
(999) UNKNOWN

IMPACT SPEED ESTIMATOR

(1) INVESTIGATOR
(2) DRIVER
(3) POLICE
(4) "CRASH" PROGRAM
(5) OTHER COMPUTER PROGRAM SPECIFY: _____
(7) OTHER: _____
(8) NOT APPLICABLE *(NO VEHICLE/NO IMPACT)*

CRUSH

(998) NOT APPLICABLE *(NO VEHICLE/DAMAGE)*
(999) UNKNOWN

CDC

(9800000) NOT APPLICABLE
(9900000) UNKNOWN

Duplicate columns 1-8 from the previous card. Module D (9) A (10) Format 0 (11) 1 (12)

DAMAGE DA-2

MAXIMUM SHEET METAL CRUSH

(cm) (999) UNKNOWN

FRONT (13-15)	116	RIGHT SIDE (16-18)	000
REAR (19-21)	000	LEFT SIDE (22-24)	014
ROOF (25-27)	000	OTHER (28-30)	000

CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE

NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL.

DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER? 1 (31)

(0) NO
(1) YES

EVENT NUMBER	IMPACT LOCATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION *FOR CODES, SEE TABLE ON PAGE DA-3.*	OBJECT/VEHICLE CONTACTED *FOR CODES, SEE TABLE ON PAGE DA-4.*
# 1	3 (32)	27 (33-34)	77 (35-36)
#2	3 (37)	17 (38-39)	77 (40-41)
#3	(42)	(43-44)	(45-46)
#4	(47)	(48-49)	(50-51)
#5	(52)	(53-54)	(55-56)
#6	(57)	(58-59)	(60-61)
#7	(62)	(63-64)	(65-66)

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

(11) AND FRONT OF CONTACTED VEHICLE
(13) AND SIDE OF CONTACTED VEHICLE
(14) AND REAR OF CONTACTED VEHICLE
(16) ENDSWIPED BY CONTACTED VEHICLE
(17) AND OBJECT
(19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

(21) AND FRONT OF CONTACTED VEHICLE *(TYPE T)*
(22) AND FRONT OF CONTACTED VEHICLE *(TYPE L)*
(23) AND SIDE OF CONTACTED VEHICLE *(NOT SIDESWIPE)*
(24) AND REAR OF CONTACTED VEHICLE *(TYPE T)*
(25) AND REAR OF CONTACTED VEHICLE *(TYPE L)*
(26) SIDESWIPED BY CONTACTED VEHICLE
(27) AND OBJECT
(29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

(31) AND FRONT OF CONTACTED VEHICLE
(33) AND SIDE OF CONTACTED VEHICLE
(34) AND REAR OF CONTACTED VEHICLE
(36) ENDSWIPED BY CONTACTED VEHICLE
(37) AND OBJECT
(39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

(41) AND FRONT OF CONTACTED VEHICLE *(TYPE T)*
(42) AND FRONT OF CONTACTED VEHICLE *(TYPE L)*
(43) AND SIDE OF CONTACTED VEHICLE *(NOT SIDESWIPE)*
(44) AND REAR OF CONTACTED VEHICLE *(TYPE T)*
(45) AND REAR OF CONTACTED VEHICLE *(TYPE L)*
(46) SIDESWIPED BY CONTACTED VEHICLE
(47) AND OBJECT
(49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

(57) VEHICLE TO OBJECT
(58) VEHICLE TO VEHICLE
(59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

(61) LESS THAN 360°
(62) 360° OR MORE
(69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS
- (00) NO OBJECT
- (01) - (39) PASSENGER VEHICLE & TRUCK
- (40) - (69) OTHER VEHICLE
- (70) - (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) - (97) OFF-ROADWAY OBJECT

- (98) OTHER *(DESCRIBE)*
- (99) UNKNOWN

PASSENGER VEHICLE
- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE	WHEELBASE
SUB-MINI	< 2286 mm (< 90")
MINI	2286 - 2412 mm (90" - 94.9")
SUB-COMPACT	2413 - 2539 mm (95" - 99.9")
COMPACT	2540 - 2666 mm (100" - 104.9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124.9")
LIMOUSINE	> 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE
- (11) SMALL VAN *(MINI)*
- (12) PICKUP
- (14) SMALL UTILITY *(WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO)*
- (15) LARGE UTILITY *(WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)*
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK
- (11) SMALL VAN *(E.G. ECONOLINE)*
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY *(E.G. PANEL TRUCK, SUBURBAN)*
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN *(WALK-IN)*
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR *(BOBTAIL)*
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER *(SEMI)*
- (39) TRUCK *(OR SEMI)* & FULL TRAILER*(S)*

BUS
- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE
- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 - 75 cc
- (52) 76 - 125 cc
- (53) 126 - 250 cc
- (54) 251 - 500 cc
- (55) 501 - 750 cc
- (56) 751 cc +
- (57) 3-WHEELS *(OR WITH SIDECAR)*

SPECIAL PURPOSE VEHICLE
- (60) UNKNOWN/OTHER SPECIAL VEHICLE *(DESCRIBE)*
- (61) SNOWMOBILE
- (62) ATV *(ALL TERRAIN VEHICLE)*
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE *(CAMPER)*
- (67) TRAILER, COMMERCIAL *(CARGO)*
- (68) TRAIN *(CARS)*
- (69) LOCOMOTIVE *(ENGINE, SWITCHER)*

OBJECT
- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE *(E.G. PERSON RIDING ANIMAL, CART)*
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT *(E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)*
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT *(EXCLUDING (65))*
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND *(ROLLOVER ONLY)*
- (81) CURB *(DAMAGE PRODUCING IMPACTS ONLY)*
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION
- (93) GUARD POST *(TIMBER, METAL, CONCRETE)*
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER *(MEDIAN)*
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 from the previous card. Module C (9) R (10) Format 0 (11) 1 (12)

CRASH RECONSTRUCTION CR-1
for ΔV

	CASE VEHICLE PRIMARY IMPACT		CASE VEHICLE SECONDARY IMPACT	
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	2 (13)		1 (47)	
ΔV (km/h) TOTAL	071 (14 15 16)	888 (32 33 34)	999 (48 49 50)	888 (66 67 68)
LONGITUDINAL*	-071 (17 20)	8888 (35 38)	9999 (51 54)	8888 (69 72)
LATERAL*	+0000 (21 24)	8888 (39 42)	9999 (55 58)	8888 (73 76)
ENERGY DISSIPATED BY CRUSH (kj)	0317 (25 28)	8888 (43 46)	9999 (59 62)	8888 (77 80)
	317145			
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	22 (29 30)		08 (63 64)	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL				
(22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL				
(23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL				
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA				
(03) EXCESSIVE UNDERRIDE/ OVERRIDE				
(04) ROLLOVER				
(05) VAULTING				
(06) OTHER TRAVEL IN MORE THAN ONE PLANE				
(07) NON-HORIZONTAL FORCE				
(08) SIDESWIPE-TYPE DAMAGE				
(09) YIELDING OBJECT				
(10) OTHER: _____				
(11) AT LEAST ONE VEHICLE BEYOND SCOPE				
(12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY	2 (31)		5 (65)	
(2) CDC & DETAILED DAMAGE				
(3) TRAJECTORY & CDC				
(4) TRAJECTORY & CDC & DETAILED DAMAGE				
(5) NOT RECONSTRUCTED				
COMPUTER PROGRAM SPECIFY: _____				

*NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.

EXAMPLES: 10 km/h = +010
-7 km/h = -007

Duplicate columns 1-8 from the previous card. Module C (9) R (10) Format 0 (11) 2 (12)

CRASH RECONSTRUCTION for EBS — CR-2

	CASE VEHICLE PRIMARY IMPACT		CASE VEHICLE SECONDARY IMPACT	
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	2 (13)		1 (47)	
EBS (km/h) TOTAL	071 (14 15 16)	888 (32 33 34)	999 (48 49 50)	888 (66 67 68)
LONGITUDINAL*	-071 (17 - 20)	8888 (35 38)	9999 (51 54)	8888 (69 72)
LATERAL*	+0000 (21 24)	8888 (39 42)	9999 (55 58)	8888 (73 76)
ENERGY DISSIPATED BY CRUSH (kj)	0317 (25 28)	8888 (43 46)	9999 (59 62)	8888 (77 80)

NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.

EXAMPLES: 10 km/h = +010
-7 km/h = -007

RECONSTRUCTION

(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL — 22 (29 30); 08 (63 64)

(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL
(22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL
(23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL

NOT RECONSTRUCTED BECAUSE

(02) INSUFFICIENT DATA
(03) EXCESSIVE UNDERRIDE/ OVERRIDE
(04) ROLLOVER
(05) VAULTING
(06) OTHER TRAVEL IN MORE THAN ONE PLANE
(07) NON-HORIZONTAL FORCE
(08) SIDESWIPE-TYPE DAMAGE
(09) YIELDING OBJECT
(10) OTHER: _____
(11) AT LEAST ONE VEHICLE BEYOND SCOPE
(12) OTHER VEHICLE NOT INSPECTED

MODE

(1) CDC ONLY
(2) CDC & DETAILED DAMAGE — 2 (31); 5 (65)
(3) TRAJECTORY & CDC
(4) TRAJECTORY & CDC & DETAILED DAMAGE
(5) NOT RECONSTRUCTED

COMPUTER PROGRAM SPECIFY: _____

Duplicate columns 1-8 from the previous card. Module C (9) R (10) Format 0 (11) 3 (12)

CRASH RECONSTRUCTION CR-3

NOTES:
1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
2. MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.
3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
4. USE THE CENTER OF THE WHEELBASE AS THE CG.

CASE VEHICLE LOCATOR

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
1	Ends -33cm from rear axle	
2	Ends -94cm from Ⓒ front bumper corner	B.C. to B.C.



DL 37

UDL 113

PLANE:
(1) Bumper
(2) Above Bumper
(3) Sill
(4) Above Sill
(5) Other _____
(9) Unknown

CRUSH PROFILE IN CENTIMETERS

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

Specific Impact Number	Plane of Impact C-Measur.	Direct Damage Length (DDL)	Direct Damage Max Crush	Field L	C_1	C_2	C_3	C_4	C_5	C_6	±D
2	Bumper	37	C6	63	29	43	75	107	115	124	+38
	-Freespace				-8	-2	-1	-1	-2	-8	
					21	41	74	106	113	116	
1	1	037	116	063	021	041	074	106	113	116	+038
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
1	Above Sill	325	14	unk	unk	unk	unk	unk	unk	unk	-5
2	4	325	014	999	999	999	999	999	999	999	-005

Duplicate columns 1-8 from the previous card. Module C (9) R (10) Format 0 (11) 4 (12)

CRASH RECONSTRUCTION CR-4

NOTES:

1. *ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.*
2. *MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.*
3. *D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.*
4. *USE THE CENTER OF THE WHEELBASE AS THE CG.*

OTHER VEHICLE LOCATOR

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L

N/A



DL _____

UDL _____

PLANE:
(1) Bumper
(2) Above Bumper
(3) Sill
(4) Above Sill
(5) Other _____
(9) Unknown

CRUSH PROFILE IN CENTIMETERS

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

Specific Impact Number	Plane of Impact C-Measur.	Direct Damage Length (DDL)	Direct Damage Max Crush	Field L	C_1	C_2	C_3	C_4	C_5	C_6	±D
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8 from the previous card. Module W (9) T (10) Format 0 (11) 1 (12)

WHEELS AND TIRES WT-1

WHEELS--DAMAGED

(0) NO
(1) YES
(9) UNKNOWN

LF	0 (13)
RF	1
RR	0
LR	0 (16)

TIRE TREAD TYPE

(1) REGULAR
(2) SNOW
(3) SLICKS
(4) ALL WEATHER (MS)
(7) OTHER: _____
(9) UNKNOWN

LF	4 (17)
RF	4
RR	4
LR	4 (20)

CARCASS CONSTRUCTION

(1) BIAS
(2) BELTED BIAS
(3) RADIAL
(4) ELLIPTICAL
(5) HI PRESSURE SPARE
(6) SPACE SAVER SPARE
(7) OTHER: _____
(9) UNKNOWN

LF	3 (21)
RF	3
RR	3
LR	3 (24)

SIZE *(NOT DOT CODE. IF UNKNOWN, USE 9'S)*

LF	P215605R15 (25)
RF	P215605R15 (35)
RR	P215605R15 (45)
LR	P215605R15 (55)

IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS.

NOTES: _____

Duplicate columns 1-8 from the previous card. Module F (9) T (10) Format 0 (11) 1 (12)

FUEL AND FUEL TANKS FT-1

TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: _____ (9) UNKNOWN	1 (13)	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE *(NOT EQUIPPED)* (9) UNKNOWN	8 (21)
MAIN TANK LOCATION	322 (14–16)	AUXILIARY TANK LOCATION	888 (22–24)
MAIN FILLER CAP LOCATION	133 (17–19)	AUXILIARY FILLER CAP LOCATION	888 (25–27)
MAIN TANK MATERIAL	1 (20)	AUXILIARY TANK MATERIAL	8 (28)

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT *(LONGITUDINAL)*

(1) BEHIND KICK-UP
(2) IN KICK-UP
(3) BETWEEN KICK-UP & COWL
(4) FORWARD OF COWL
(8) NOT APPLICABLE *(NOT EQUIPPED)*
(9) UNKNOWN

SECOND DIGIT *(LATERAL)*

(1) LEFT OF FRAME
(2) WITHIN FRAME OR CENTERED
(3) RIGHT OF FRAME
(4) DUAL, RIGHT & LEFT TANKS
(8) NOT APPLICABLE *(NOT EQUIPPED)*
(9) UNKNOWN

THIRD DIGIT *(VERTICAL)*

(1) BELOW FRAME
(2) WITHIN FRAME OR CENTERED
(3) ABOVE FRAME
(8) NOT APPLICABLE *(NOT EQUIPPED)*
(9) UNKNOWN

TANK MATERIAL CODES

(1) STEEL
(2) ALUMINUM
(3) PLASTIC
(7) OTHER
(8) NOT APPLICABLE *(NOT EQUIPPED)*
(9) UNKNOWN

Duplicate columns 1-8 from the previous card. Module F (9) L (10) Format 0 (11) 1 (12)

FUEL LEAKAGE FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE *SKIP PAGE.*

(1) YES *COMPLETE PAGE.* (13)

LEAK NUMBER	I LEAKING COMPONENT	II COMPONENT SOURCE	III TYPE OF DAMAGE	IV SEVERITY OF DAMAGE	V LOCATION OF LEAK	EVENT NUMBER
#1	(14) (15)					(21)
#2	(22) (23)					(29)
#3	(30) (31)					(37)
#4	(38) (39)					(45)
#5	(46) (47)					(53)

I LEAKING COMPONENT

TANK AREA

(11) MAIN FUEL TANK *(INCLUDING VAPOR RECOVERY DOME)*
(12) AUXILIARY FUEL TANK
(13) MAIN TANK FILLER TUBE
(14) MAIN TANK CAP *(GAS CAP)*
(15) AUXILIARY TANK FILLER TUBE
(16) AUXILIARY TANK CAP *(GAS CAP)*
(19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

(21) FUEL FEED LINE *(MAIN TANK TO FUEL PUMP)*
(22) FUEL FEED LINE *(AUXILIARY TANK TO FUEL PUMP)*
(23) FUEL RETURN LINE *(FUEL PUMP TO TANK)*
(24) INLINE FUEL FILTER
(25) FUEL LINE *(PUMP TO CARBURETOR OR INJECTOR PUMP)*
(26) CARBURETOR TO INJECTOR PUMP
(27) FUEL PUMP
(29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

(31) ATMOSPHERIC VENT PIPE *(NON-EEC EQUIPPED)*
(32) EEC PIPE *(VAPOR CANISTER TO CARBURETOR)*

EEC SYSTEM (CONTINUED)

(33) VAPOR RECOVERY HOSES *(CANISTER TO CARBURETOR)*
(34) LIQUID-VAPOR SEPARATOR *(UNLESS PART OF TANK)*
(35) CANISTER
(39) EEC SYSTEM, DETAILS UNKNOWN

(49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
(99) COMPONENT UNKNOWN

II COMPONENT SOURCE

(1) OEM
(2) AFTER MARKET
(9) UNKNOWN

III TYPE OF DAMAGE

(1) DENTED/CRUSHED
(2) PUNCTURED
(3) RUPTURED
(4) SEVERED/GROSS TEARS
(5) DISCONNECTED/DEFEATED
(9) UNKNOWN

IV SEVERITY OF DAMAGE

(1) MINOR
(2) MODERATE
(3) SEVERE
(4) DISCONNECTED/DEFEATED
(9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT
(LONGITUDINAL LOCATION)

(1) F, FORWARD OF COWL
(2) P, BETWEEN COWL & REAR BULKHEAD
(3) B, BEHIND REAR BULKHEAD
(4) Y, F, & P
(5) Z, P, & B
(6) D, DISTRIBUTED *(F, P & B)*
(9) UNKNOWN

SECOND DIGIT
(LATERAL LOCATION)

(1) L, LEFT
(2) C, CENTER
(3) R, RIGHT
(4) Y, LEFT CENTER *(L & C)*
(5) Z, RIGHT CENTER *(R & C)*
(6) D, DISTRIBUTED *(F, P & B)*
(9) UNKNOWN

Duplicate columns 1-8 from the previous card. Module F (9) R (10) Format 0 (11) 1 (12)

FIRE FR-1

WAS THERE FIRE IN OR ON CASE VEHICLE?

(0) NO *SKIP PAGE.*

(1) YES *COMPLETE PAGE.*

Ø (13)

DID FIRE START IN CASE VEHICLE?

(0) NO
(1) YES
(9) UNKNOWN

(14)

FLAME PROPOGATION RATE

(1) RAPID/EXPLOSIVE
(2) SLOW/MODERATE
(9) UNKNOWN

(15)

SEVERITY OF FIRE DAMAGE

(1) MINOR
(2) MODERATE
(3) SEVERE
(9) UNKNOWN

(16)

DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE?

(0) NO
(1) YES
(9) UNKNOWN

(17)

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card. Module E (9) D (10) Format 0 (11) 1 (12)

EXTERIOR DAMAGE ED-1

HOOD PERFORMANCE

FOR THE FOLLOWING, USE CODES:

(0) NO
(1) YES
(8) NOT APPLICABLE
(9) UNKNOWN

HOOD LATCH*(ES)*-	-RELEASED	0	13
	-DAMAGED	1	14
	-JAMMED	1	15
HOOD HINGES-	-LEFT, DAMAGED	1	16
	-LEFT, SEPARATED *(COMPLETE)*	0	17
	-RIGHT, DAMAGED	1	18
	-RIGHT, SEPARATED *(COMPLETE)*	0	19
HOOD REMAINED ON VEHICLE		1	20
REAR EDGE OF HOOD-	-ELEVATED	1	21
	-CONTACTED WINDSHIELD	1	22
	-PENETRATED WINDSHIELD	0	23

HOOD LATCH LOCATION

(1) FRONT OF VEHICLE
(2) COWL AREA
(3) SIDE
(8) NOT APPLICABLE
(9) UNKNOWN

1 (24)

ENGINE OR TRANSMISSION MOUNT

SEPARATION *(COMPLETE)*

(0) NO
(1) YES
(9) UNKNOWN

9 (25)

STEERING COL FLEXIBLE COUPLING

FLEXIBLE COUPLING TYPE

(0) NONE
(1) FLEXIBLE MATERIAL
(2) POT
(3) SINGLE U-JOINT
(4) DOUBLE U-JOINT
(5) FLEXIBLE CABLE
(6) COMBINATION OF ABOVE *(CIRCLE EACH)*
(7) OTHER: _____
(8) EQUIPPED, TYPE UNKNOWN
(9) UNKNOWN, IF EQUIPPED

9 (26)

COUPLING-	-DAMAGED	9 (27)
(USE CODES FROM HOOD PERFORMANCE)	-SEPARATED *(COMPLETE)*	9 (28)

ENG COMPART TELESCOPING UNIT

TYPE OF UNIT

(00) NONE INSTALLED
(01) - (07) SEE UNITS ON PAGE ED-2
(88) NOT COLLECTED
(97) OTHER: _____
(98) EQUIPPED, TYPE UNKNOWN
(99) UNKNOWN IF EQUIPPED

8 8 (29 30)

ORIGINAL LENGTH *(mm)*

F *(OR H)*: _____

TELESCOPED LENGTH *(mm)*

G: _____

DIFFERENCE *(mm)*

F *(OR H)* - G

(IF LESS THAN 15mm, ENTER "000".)

(888) NOT COLLECTED
(991) NOT MEASURED/NO COMPRESSION
(992) COMPRESSED, AMOUNT UNKNOWN
(993) DEVICE EXTENDED
(997) UNABLE TO BE MEASURED
(998) NOT APPLICABLE *(NOT EQUIPPED)*
(999) UNKNOWN

8 8 8 (31 33)

LEFT-SIDE BODY MOUNT

DID BODY MOUNT SEPARATE?

(0) NO
(1) YES
(8) NOT APPLICABLE
(9) UNKNOWN

34: 8

LEFT PILLARS

PILLARS SEPARATED COMPLETELY -

USE CODES:

(0) NO
(1) YES
(4) NO SEPARATION, BUT DAMAGED
(8) NOT APPLICABLE *(NOT EQUIPPED)*
(9) UNKNOWN

-A-PILLAR,	UPPER	35: 0
	LOWER	36: 0
-B-PILLAR,	UPPER	37: 0
	LOWER	38: 1
-C-PILLAR,	UPPER	39: 0
	LOWER	40: 8
-D-PILLAR,	UPPER	41: 8
	LOWER	42: 8

LEFT DOORS

HOW DID DOORS OPEN DURING COLLISION?

USE CODES:

(0) DOOR DID NOT OPEN

OPENED BECAUSE OF

(1) HINGE AREA SEPARATION
(2) DOOR-LATCH SEPARATION
(3) LATCH-STRIKER SEPARATION
(4) STRIKER-PILLAR SEPARATION
(5) BODY DISTORTION
(6) COMBINATION OF ABOVE *(CIRCLE EACH)*
(7) OPENED, REASON UNKNOWN

(8) NOT APPLICABLE *(NO DOOR)*
(9) UNKNOWN

-FRONT	43: 0
-REAR	44: 8

DOORS JAMMED CLOSED-

USE CODES:

(0) NO
(1) YES
(8) NOT APPLICABLE *(NO DOOR)*
(9) UNKNOWN

-FRONT	45: 0
-REAR	46: 8

REAR DOOR

REAR DOOR TYPE

(0) NO DOOR (INCLUDES PICKUPS)
(1) HATCHBACK
(2) ONE-WAY TAILGATE
(3) TWO-WAY TAILGATE
(4) CLAMSHELL/DISAPPEARING TAILGATE
(5) SINGLE DOOR
(6) DOUBLE DOOR
(9) UNKNOWN

47



HOW DID DOOR OPEN DURING COLLISION?

(0) DOOR DID NOT OPEN

OPENED BECAUSE OF

(1) HINGE AREA SEPARATION
(2) DOOR-LATCH SEPARATION
(3) LATCH-STRIKER SEPARATION
(4) STRIKER-PILLAR SEPARATION
(5) BODY DISTORTION
(6) COMBINATION OF ABOVE *(CIRCLE EACH)*
(7) OPENED, REASON UNKNOWN

(8) NOT APPLICABLE *(NO DOOR)*
(9) UNKNOWN

48

DOOR JAMMED CLOSED

(0) NO
(1) YES
(8) NOT APPLICABLE *(NO DOOR)*
(9) UNKNOWN

49

OTHER REAR DAMAGE

WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION?

(0) NO
(1) YES
(8) NOT APPLICABLE
(9) UNKNOWN

50

SPARE TIRE

(0) NO SPARE TIRE
(1) NOT ATTACHED BEFORE COLLISION
(2) ATTACHED, NOT SEPARATED IN COLLISION
(3) ATTACHED, SEPARATED DUE TO COLLISION
(8) NOT COLLECTED
(9) UNKNOWN

8
51

TRAILER HITCH TYPE

(0) NO HITCH

BALL-AND-SOCKET TYPES

(1) TEMPORARY FRAMEWORK *(E.G. RENTAL CLAMP-ON)*
(2) BUMPER-MOUNT ONLY *(E.G. LIGHT TRUCK)*
(3) BUMPER-AND-FRAME *(BUT NON-EQUALIZING)*
(4) LOAD EQUALIZING

OTHER TYPES

(5) RING-AND-PINTLE
(6) FIFTH-WHEEL *(INCL. P/U)*
(7) OTHER *(E.G. CLEVIS-AND-PIN)*

(8) EQUIPPED, TYPE UNKNOWN
(9) UNKNOWN IF EQUIPPED

52

TRAILER TYPE *(AT TIME OF COLLISION)*

(0) NO TRAILER
(1) TRAVEL-TRAILER/CAMPER
(2) MOBILE HOME
(3) BOAT/SNOWMOBILE/ATV TRAILER
(4) UTILITY TRAILER
(5) TOWED CAR
(7) OTHER: _____
(8) TRAILER, TYPE UNKNOWN
(9) UNKNOWN

53

RIGHT-SIDE BODY MOUNT

DID BODY MOUNT SEPARATE?

(0) NO
(1) YES
(8) NOT APPLICABLE
(9) UNKNOWN

8 (54)

RIGHT PILLARS

PILLARS SEPARATED COMPLETELY -

USE CODES:

(0) NO
(1) YES
(4) NO SEPARATION, BUT DAMAGED
(8) NOT APPLICABLE *(NOT EQUIPPED)*
(9) UNKNOWN

-A-PILLAR, UPPER: 4 (55)

LOWER: 4 (56)

-B-PILLAR, UPPER: 4 (57)

LOWER: Ø (58)

-C-PILLAR, UPPER: Ø (59)

LOWER: 8 (60)

-D-PILLAR, UPPER: 8 (61)

LOWER: 8 (62)

RIGHT DOORS

HOW DID DOORS OPEN DURING COLLISION?

USE CODES:

(00) DOOR DID NOT OPEN

OPENED BECAUSE OF

(01) HINGE AREA SEPARATION
(02) DOOR-LATCH SEPARATION
(03) LATCH-STRIKER SEPARATION
(04) STRIKER-PILLAR SEPARATION
(05) BODY DISTORTION
(06) COMBINATION OF ABOVE *(CIRCLE EACH)*
(07) OPENED, REASON UNKNOWN
(11) VAN RIGHT-REAR DOOR OPENED *(ANY MECHANISM)*

(98) NOT APPLICABLE *(NO DOOR)*
(99) UNKNOWN

-FRONT: Ø Ø (63, 64)

-REAR: 9 8 (65, 66)

DOORS JAMMED CLOSED-

USE CODES:

(0) NO
(1) YES
(8) NOT APPLICABLE *(NO DOOR)*
(9) UNKNOWN

-FRONT: Ø (67)

-REAR: 8 (68)

VAN REAR DOOR TYPE: 8 (69)

(0) VAN, NO REAR DOOR
(1) TRACK *(SLIDING)* - RIGHT SIDE
(2) SINGLE-HINGED - RIGHT SIDE
(3) DOUBLE-HINGED - RIGHT SIDE
(4) TRACK *(SLIDING)* - RIGHT & LEFT SIDE
(5) SINGLE-HINGED - RIGHT & LEFT SIDE
(6) DOUBLE-HINGED - RIGHT & LEFT SIDE
(7) TRACK AND HINGED COMBINATION
(8) NOT APPLICABLE *(NOT A VAN)*
(9) UNKNOWN

WINDSHIELD DAMAGE

WINDSHIELD CRACKED

(0) NO
(1) YES
(8) NOT APPLICABLE
(9) UNKNOWN

1 — 70

WINDSHIELD BROKEN
(PLASTIC INTERLAYER TORN)

(0) NO
(1) YES
(8) NOT APPLICABLE
(9) UNKNOWN

1 — 71

CRACKED OR BROKEN BY OCCUPANT CONTACT

(0) NO
(1) YES
(8) NOT APPLICABLE
(9) UNKNOWN

1 — 72

EXTENT OF BOND SEPARATION

(0) NONE
(1) 1 - 20%
(2) 21 - 40
(3) 41 - 60
(4) 61 - 80
(5) 81 - 99
(6) TOTAL
(7) SEPARATED, AMOUNT UNKNOWN
(8) NOT APPLICABLE
(9) UNKNOWN

0 — 73

WINDSHIELD MARK ON CASE VEHICLE:

Unknown

WINDSHIELD CODE

(97) DESCRIBED BUT NOT CODED
(98) NOT APPLICABLE *(NO WINDSHIELD)*
(99) UNKNOWN

99 — 74 75

ROOF

DID T-ROOF/SUN ROOF OPEN DURING COLLISION?

(0) NO
(1) YES
(8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF)
(9) UNKNOWN

8 — 76

LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.



Duplicate columns 1-8 from the previous card. Module S (9) C (10) Format 0 (11) 1 (12)

STEERING WHEEL AND COLUMN SC-1

STEERING WHEEL

STEERING WHEEL RIM DAMAGE

(0) NONE
(1) DEFORMED SLIGHTLY
(2) SEVERELY BENT
(3) BROKEN
(9) UNKNOWN

Ø (13)

NUMBER OF STEERING WHEEL SPOKES

(9) UNKNOWN

4 (14)

STEERING WHL SPOKE DAMAGE

(0) NONE
(1) DEFORMED SLIGHTLY
(2) SEVERELY BENT
(3) BROKEN
(9) UNKNOWN

Ø (15)

STEERING WHEEL POSITION AT TIME OF COLLISION

IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED?

EXAMPLES

O'CLOCK = 1 2



(NORMAL STRAIGHT AHEAD)

O'CLOCK = 0 2

O'CLOCK = 99

(99) UNKNOWN

STEERING WHEEL ENERGY ABSORBING DEVICE

(1) *EXAMPLES:*

BARRACUDA, 70 - 74
CHALLENGER, 70 -74
CAPRI, 71 - 77

(2) *EXAMPLES:*

OMNI, 78 -
HORIZON, 78 -



TYPE OF DEVICE

(0) NONE
(1) CONVOLUTED OR MESH CYLINDER
(2) DEEP DISH STEERING WHEEL
(7) OTHER: _____
(8) NOT COLLECTED
(9) UNKNOWN IF EQUIPPED

8 (19)

ORIGINAL DIMENSION *(mm)*

A: _____

DAMAGE DIMENSION *(mm)*

B: _____

DIFFERENCE *(mm)*

A - B

(888) NOT COLLECTED
(991) NOT MEASURED/NO APPARENT COMPRESSION
(992) COMPRESSED, AMOUNT UNKNOWN
(993) DEVICE EXTENDED
(997) UNABLE TO MEASURE
(998) NOT APPLICABLE *(NOT EQUIPPED)*
(999) UNKNOWN

8 8 8 (20) (22)

STEERING COLUMN OPTIONS

TILT FEATURE

(0) NOT EQUIPPED
(1) YES, EQUIPPED, UNK POSITION
(2) UP
(3) MIDDLE
(4) LOWER
(9) UNKNOWN IF EQUIPPED

1 (16)

SWING-AWAY FEATURE

(0) NOT EQUIPPED
(1) YES, EQUIPPED
(9) UNKNOWN IF EQUIPPED

Ø (17)

TELESCOPING FEATURE

(0) NOT EQUIPPED
(1) YES, EQUIPPED
(9) UNKNOWN IF EQUIPPED

Ø (18)

STEERING COLUMN

ENERGY ABSORBING DEVICE

TYPE OF DEVICE * *(IF 27 OR 28)*

(00) NOT EQUIPPED
(88) NOT COLLECTED
(99) UNKNOWN

8 8
23 24

ORIGINAL LENGTH *(mm)*

C: _____

COMPRESSED LENGTH *(mm)*

D: _____

BRACKET DEFLECTION *(IF CODE 36, 48, OR 49 ABOVE)*

OR

COMPRESSION *(OR EXTRUSION) (mm)*

C - D *(OR E)* *(TOLERANCE: ±10)*

(888) NOT COLLECTED
(991) NOT MEASURED/NO APPARENT COMPRESSION
(992) COMPRESSED, AMOUNT UNKNOWN
(993) DEVICE EXTENDED
(997) UNABLE TO BE MEASURED
(998) NOT APPLICABLE *(NOT EQUIPPED)*
(999) UNKNOWN

8 8 8
25 27

* *(ADD A & B FOR TOTAL COMPRESSION)*

SHEAR CAPSULE SEPARATION *(mm)*

S *(USE AVG. OF LEFT & RIGHT CAPSULES.)*

LT:



RT:

(888) NOT COLLECTED
(991) NOT MEASURED/NO APPARENT SEPARATION
(992) SEPARATED, AMOUNT UNKNOWN
(997) UNABLE TO BE MEASURED
(998) NOT APPLICABLE *(NOT EQUIPPED)*
(999) UNKNOWN

8 8 8
28 30

COLUMN VERTICAL ROTATION

(0) NO APPARENT ROTATION
(1) UPWARD APPARENT ROTATION
(2) DOWNWARD APPARENT ROTATION
(9) UNKNOWN

1
31

COLUMN LATERAL ROTATION

(0) NO APPARENT ROTATION
(1) LEFT APPARENT ROTATION
(2) RIGHT APPARENT ROTATION
(9) UNKNOWN

2
32

STEERING WHEEL (CONTINUED)

STEERING WHEEL HUB DAMAGE

(0) NONE
(1) OCCUPANT CONTACT
(2) AIRBAG
(3) OTHER _____
(9) UNKNOWN

0
33

1 = Definitely 2 = Probably 3 = Possible

INTRUSION IT-1

(All Measurements Are in Centimeters)

Location of Intrusion	Intruded Component	Comparison Value	–	Intruded Value	=	Intrusion	Dominant Crush Direction
11	Toepan	140	–	105	=	35	rearward
11	Instrument panel	95	–	85	=	10	rearward
11	Door		–		=	14 (est)	lateral
11	Steering column	74		71		3	rearward
12	Instrument panel	95	–	71	=	24	rearward
13	Instrument panel	98	–	77	=	21	rearward
13	Toepan	140	–	86	=	54	rearward
			–		=		
			–		=		
			–		=		
			–		=		
			–		=		
			–		=		

OCCUPANT CONTACT WORKSHEET

Contact	Interior Component Contacted	Occupant No. if Known	Body Region if Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	Knee bolster	1	Head	Cloth transfer	1
B	Knee bolster	1	Head	Cloth transfer	1
C	Shift lever	1	Head	Top sheared off	1
D	Center stack	1	Shoulder	Knobs off climate controls	1
E	Turn signal	1	Chest	Broken	3
F	Steering wheel	1	Chest	Column rotated	3
G	Rearview mirror	1	Head	Broken off	2
H	Windshield	1	Hand	Spider web pattern	1
I					
J					

VEHICLE OCCUPANT CONTACT DIAGRAM







CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

(1) LEFT	(3) RIGHT			INDIVIDUAL SEAT
(1) LEFT	(2) CENTER	(3) RIGHT		BENCH: FULL WIDTH 3 PASSENGER
(1) LEFT	(2) LEFT CENTER	(6) RIGHT CENTER	(3) RIGHT	BENCH: FULL WIDTH 4 PASSENGER
(1) LEFT	(2) CENTER	(5) RIGHT & AISLE SPACE		BENCH: PARTIAL WIDTH, LEFT
(0) LEFT & SPACE	(2) CENTER	(5) RIGHT & SPACE		BENCH: PARTIAL WIDTH, CENTERED
(4) ENTIRE VEHICLE WIDTH				CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR
5 PASSENGERS



VAN
12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS *(FORE & AFT)*
(Y) Y-AXIS *(LATERAL)*
(Z) Z-AXIS *(VERTICAL)*

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT NUMBER	INJURY NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

(01) INSTRUMENT PANEL
(02) FIRE WALL
(03) TOE PAN
(04) FLOOR PAN
(05) STEERING COLUMN
(06) WINDSHIELD
(07) WINDSHIELD HEADER
(08) A-PILLAR
(09) DOOR PANEL OR SIDE PANEL
(10) WINDOW FRAME
(11) B-PILLAR
(12) C-PILLAR
(13) D-PILLAR
(14) ROOF SIDE RAILS
(15) ROOF OR CONVERTIBLE TOP
(16) BACKLIGHT HEADER
(17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
(18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
(19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
(20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
(21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
(22) BACK PANEL/BACK DOOR SURFACE
(23) SEAT CUSHION SURFACE/EDGE
(24) CONSOLE
(25) OTHER *(DESCRIBE)*
(26) UNKNOWN INTERNAL SURFACES
(28) TRANSMISSION TUNNEL (HUMP)
(29) SIDE FOOTWELL PANEL (KICKPANEL)
(30) SILL

EXTERNAL

(43) HOOD
(44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
(45) OUTSIDE SURFACE OF CASE VEHICLE
(46) OTHER *(E.G. SPARE TIRE, JACK. DESCRIBE.)*
(49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

(50)WINDSHIELD HEADER
A-PILLAR
ROOF SIDE RAIL

(51)INSTRUMENT PANEL
A-PILLAR
DOOR PANEL

(52)INSTRUMENT PANEL
A-PILLAR
WINDSHIELD HEADER

(53)DOOR PANEL
B-PILLAR
ROOF RAIL

(54)DOOR PANEL
A-PILLAR
ROOF RAIL

(55)INSTRUMENT PANEL
FLOOR PAN
A-PILLAR
DOOR FRAME

(56)ROOF RAIL
A-PILLAR
B-PILLAR
WINDOW FRAME

(57)ROOF RAIL
A-PILLAR
B-PILLAR
C-PILLAR
DOOR PANEL

(58)ROOF
ROOF RAIL
WINDOW FRAME
DOOR PANEL

(59)BACKLIGHT HEADER
ROOF
C-PILLAR
THIRD SEAT-BACK

(60)ROOF
ROOF RAIL
A-PILLAR
B-PILLAR
C-PILLAR
WINDOW FRAME
DOOR PANEL
FLOOR PAN

(61)INSTRUMENT PANEL
TOE PAN
WINDSHIELD HEADER
A-PILLAR
ROOF RAIL
WINDOW FRAME
DOOR PANEL
ROOF

(62)ROOF
ROOF RAIL
C-PILLAR
WINDOW FRAME
FLOOR PAN
SECOND SEAT
DOOR PANEL

(63)ROOF RAIL
ROOF
B-PILLAR
WINDOW FRAME
FLOOR PAN
DOOR PANEL
SECOND SEAT
FRONT SEAT

(64)ROOF RAIL
ROOF OR CONVERTIBLE TOP
A-PILLAR
B-PILLAR
WINDOW FRAME
WINDOW HEADER

(65)WINDSHIELD
WINDSHIELD HEADER
ROOF SIDE RAIL

(66)WINDSHIELD
WINDSHIELD HEADER
A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 from the previous card. Module I (9) T (10) Format 0 (11) 1 (12)

INTRUSION IT-5

WAS THERE OCCUPANT COMPARTMENT INTRUSION? 1 (13)

(0) NO *DO NOT ANSWER NEXT QUESTION. SKIP PAGE.*
(1) YES *ANSWER NEXT QUESTION.*
(9) UNKNOWN *SKIP PAGE.*

WAS INTRUSION CATASTROPHIC? 0 (14)

(0) NO *COMPLETE PAGE.*
(1) YES *SKIP PAGE.*

Duplicate columns 1-8 from the previous card. Module I (9) T (10) Format 0 (11) 2 (12)

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

INTRUSIONS *CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.*

CODES FOR B, F, G, H, I, J *ON PAGE IT-3*
CODES FOR C *ON PAGE IT-4*

OCCUPANT CONTACT AND INJURY

	A	B	C	D	E	F	G	H	I	J	K
	INTRUSION NUMBER	OCC. SPACE NO.	INTRUDING COMPONENT OR OBJECT	ASSOC. EVENT NO.	MAXIMUM INTRUSION X AXIS (cm)	MAXIMUM INTRUSION Y AXIS (cm)	MAXIMUM INTRUSION Z AXIS (cm)	OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
	13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
01	11	03	2	35	00	00	00	00	00	00	00
02	11	09	1	00	14	00	00	00	00	00	00
03	11	01	2	10	00	00	01	06	01	07
04	11	05	2	03	00	00	00	00	00	00
05	12	01	2	24	00	00	00	00	00	00	00
06	13	01	2	21	00	00	00	00	00	00	00
07	13	03	2	54	00	00	00	00	00	00	00

NOTE: USE ADDITIONAL PAGE IF MORE THAN 7 INTRUSIONS.

Duplicate columns 1-8 from the previous card. Module I (9) T (10) Format 0 (11) 3 (12)

NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE.

SIDE DOOR INTRUSION RESULTED FROM

INTRUSION NUMBER	CAUSE
02 (13)	1 (15)
— (16)	— (18)
— (19)	— (21)

CODES FOR CAUSE:
(1) DIRECT IMPACT
(2) INDUCED DAMAGE
(9) UNKNOWN

IF DAMAGE TO DOOR COMPONENT RESULTED IN INCREASED DOOR INTRUSION, CODE COMPONENT

	INTRUSION NUMBER	DAMAGED COMPONENT 1	DAMAGED COMPONENT 2
A	02 (22 23)	0	8 (25)
B	— (26 27)	—	— (29)
C	— (30 31)	—	— (33)
D	— (34 35)	—	— (37)

CODES FOR COMPONENTS
(0) NONE
(1) A-PILLAR
(2) B-PILLAR
(3) C-PILLAR
(4) LATCH/STRIKER
(5) HINGES
(7) OTHER: ____
(8) NOT APPLICABLE
(9) UNKNOWN

Duplicate columns 1-8 from the previous card. Module I (9) T (10) Format 0 (11) 2 (12)

INTRUSION IT-6

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS *CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.*

CODES FOR B, F, G, H, I, J *ON PAGE IT-3*

CODES FOR C *ON PAGE IT-4*

OCCUPANT CONTACT AND INJURY

A	B	C	D	E	F	G	H	I	J	K
INTRUSION NUMBER	OCC. SPACE NO.	INTRUDING COMPONENT OR OBJECT	ASSOC. EVENT NO.	MAXIMUM INTRUSION X AXIS (cm)	MAXIMUM INTRUSION Y AXIS (cm)	MAXIMUM INTRUSION Z AXIS (cm)	OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8										
0 9										
1 0										
1 1										
1 2										
1 3										
1 4										
1 5										
1 6										
1 7										
1 8										
1 9										
2 0										
2 1										
2 2										
2 3										
2 4										
2 5										

Duplicate columns 1-8 from the previous card. Module I (9) D (10) Format 0 (11) 1 (12)

INTERIOR DAMAGE ID-1

CODES:

(0) NO
(1) YES
(3) NO, and OCCUPANT CONTACT
(4) YES, and OCCUPANT CONTACT
(8) NOT APPLICABLE
(9) UNKNOWN

SIDES

	LEFT	RIGHT
FRONT DOOR	3 (13)	0 (14)
FRONT HARDWARE	0 (15)	0 (16)
FRONT ARMREST	0 (17)	0 (18)
FRONT GLASS	0 (19)	0 (20)
REAR DOOR AREA	0 (21)	0 (22)
REAR HARDWARE	8 (23)	8 (24)
REAR ARMREST	0 (25)	0 (26)
REAR GLASS	0 (27)	0 (28)
ROOF SIDE RAIL	0 (29)	0 (30)
B-PILLAR	0 (31)	0 (32)
C-PILLAR	0 (33)	0 (34)
D-PILLAR	8 (35)	8 (36)
HEADLINING	0 (37)	0 (38)
ROOF STRUCTURE	0 (39)	1 (40)
T-ROOF/SUN ROOF	8 (41)	8 (42)
OTHER: * _____	8 (43)	8 (44)

FRONT

FOOT CONTROLS	1 (45)
IGNITION KEYS	0 (46)
REAR VIEW MIRROR	4 (47)
SUNVISOR/FITTINGS	0 (48)
(5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES	
WINDSHIELD TOP MOLDINGS	1 (49)
LEFT A-PILLAR *(UPPER OR LOWER)*	0 (50)
RIGHT A-PILLAR *(UPPER OR LOWER)*	1 (51)
CENTER CONSOLE	4 (52)
TRANSMISSION SELECTOR LEVER	4 (53)
RIM, HORN, SPOKE	3 (54)

INSTRUMENT PANEL

UPPER PANEL	1 (55)
MID PANEL	1 (56)
LOWER PANEL	1 (57)
ASHTRAY	1 (58)
CONTROL KNOBS & LEVERS	4 (59)
GLOVE COMPARTMENT AREA	1 (60)
INSTRUMENTS	1 (61)
PARKING BRAKE RELEASE	1 (62)
PARKING BRAKE PEDAL	8 (63)
A/C OR UPPER VENT OUTLETS	1 (64)
HEATER OR A/C DUCTS	1 (65)
RADIO	1 (66)
OTHER: * _____	8 (67)
_____	

REAR

WINDOW	0 (68)
WINDOW HEADER	0 (69)

CONSOLES

VERTICAL	4 (70)
ROOF	0 (71)

* *MORE THAN ONE ITEM MAY BE NOTED.*

Duplicate columns 1-8 from the previous card. Module S (9) T (10) Format 0 (11) 2 (12)

SEATS ST-1

FRONT SEAT

	DRIVER	PASSEN'R
TYPE OF FRONT SEAT (13-14, 15-16) (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER: _____ (99) UNKNOWN	05	05
TYPE OF SEAT MOUNT (17, 18) (1) STANDARD (2) PEDESTAL (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN	1	1
SWIVEL MECHANISM EQUIPPED (19, 20) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	0	0
ORIGINAL EQUIPMENT SEATS (21, 22) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	1	1
CONTACT OF SEAT BY REAR OCCUPANT (23, 24) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8	8
FRONT SEAT DAMAGE (25, 26) (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	0	0

CENTER ARMREST DAMAGED (27)
(0) NO
(1) YES
(7) EQUIPPED, DAMAGE UNKNOWN
(8) NOT APPLICABLE *(NO CENTER ARMREST)*
(9) UNKNOWN IF EQUIPPED

→ 0

FRONT SEAT ROTATION	DRIVER	PASSEN'R
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY _____ (8) NOT APPLICABLE (9) UNKNOWN	0 (28)	0 (29)

FRONT SEAT-BACK

	DRIVER	PASSEN'R
SEAT-BACK TYPE (30, 31) (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN	1	1
SEAT-BACK LOCK TYPE (32, 33) (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN	1	1
LOCKS HELD (34, 35) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	1	1
RECLINER MECHANISM HELD (36, 37) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	1	1

HEAD RESTRAINT

	DRIVER	PASSEN'R
HEAD RESTRAINT TYPE (38, 39) (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN	1	1
REMOVED PRE-CRASH (40, 41) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	0	0
ADJUSTMENT AT CRASH (42, 43) (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	2	2
HEAD RESTRAINT DAMAGE (44, 45) (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	0	0

FRONT SEAT ADJUSTMENT

	DRIVER	PASSEN'R
SEAT ADJUSTMENT TYPE (0) NONE *(RIGID)* (1) MANUAL (2) POWER (7) OTHER: _____ (8) NOT APPLICABLE *(NO SEAT)* (9) UNKNOWN	2 (46)	1 (47)
ADJUSTMENT PROVIDED (1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN	2 (48)	2 (49)
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING *(FREE PLAY)* (2) DEFORMED *(RELEASED/JAMMED)* (3) SEPARATED (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN	0 (50)	0 (51)
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	8 (52)	8 (53)
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN slightly forward of full rear	3 (54)	3* (55)

SECOND SEAT

	LEFT	RIGHT
TYPE OF SECOND SEAT (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN	6 (56)	6 (57)
SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY *(DAMAGED OR LOOSENED)* (2) CUSHION ONLY *(DAMAGED OR LOOSENED)* (3) BACKREST & CUSHION *(DAMAGED OR LOOSENED)* (4) INTEGRAL CHILD SEAT *(PRIORITY CODE)* (5) LUGGAGE AREA ACCESS PANEL *(DAMAGED OR LOOSENED)* (8) NOT APPLICABLE (9) UNKNOWN	0 (58)	0 (59)

SECOND SEAT (CONT.)

CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE *(NO CENTER ARMREST)* (9) UNKNOWN IF EQUIPPED	8 (60)

SECOND SEAT-BACK LOCKS

FOR THE FOLLOWING, USE:
(0) NO
(1) YES
(8) NOT APPLICABLE
(9) UNKNOWN

	LEFT	RIGHT
LEFT OR CENTER, EQUIPPED	8 (61)	8 (62)
LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN	8 (63)	8 (64)
RIGHT, EQUIPPED	8 (65)	8 (66)
RIGHT, HELD (3) SEAT FOLDED DOWN	8 (67)	8 (68)

THIRD SEAT

EQUIPPED	0 (69)	0 (70)
BACKREST DAMAGED	8 (71)	8 (72)
CUSHION DAMAGED	8 (73)	8 (74)

VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS

(0) NOT EQUIPPED *(OR REMOVED)*
(1) EQUIPPED
(2) EQUIPPED & DAMAGED
(8) NOT APPLICABLE *(NO REAR SEAT)*
(9) UNKNOWN

Applies to any rear-seat position

0 (75)

Duplicate columns 1-8 from the previous card. Module A (9) B (10) Format 0 (11) 1 (12)

AIRBAG AB-1

DRIVER SIDE

LOCATION OF AIRBAG
STEERING WHEEL

EQUIPPED

(0) NO
(1) YES
(4) PRIOR DEPLOYMENT NOT REINSTALLED
(9) UNKNOWN IF AIRBAG EQUIPPED

1 (13)

DEPLOYED

(0) NO
(1) YES
(2) PARTIAL/IMPROPER DEPLOYMENT
(8) NOT APPLICABLE *(NO AIRBAG)*
(9) UNKNOWN

1 (14)

CONDITION OF AIRBAG
STEERING WHEEL

(0) NO DAMAGE
(2) SPLIT OR TORN
(3) CUT DURING CRASH
(4) BURNED/MELTED
(5) CUT POST CRASH
(6) OTHER _____
(7) DAMAGED, CONDITION UNKNOWN
(8) NOT APPLICABLE *(NOT EQUIPPED/NOT DEPLOYED)*
(9) UNKNOWN IF EQUIPPED OR CONDITION

0 (15)

PASSENGER SIDE

LOCATION OF AIRBAG
INSTRUMENT PANEL (GLOVE BOX)

EQUIPPED

(0) NO
(1) YES
(4) PRIOR DEPLOYMENT NOT REINSTALLED
(9) UNKNOWN IF AIRBAG EQUIPPED

1 (16)

DEPLOYED

(0) NO
(1) YES
(2) PARTIAL/IMPROPER DEPLOYMENT
(8) NOT APPLICABLE *(NO AIRBAG)*
(9) UNKNOWN

1 (17)

CONDITION OF AIRBAG
INSTRUMENT PANEL (GLOVE BOX)

(0) NO DAMAGE
(2) SPLIT OR TORN
(3) CUT DURING CRASH
(4) BURNED/MELTED
(5) CUT POST CRASH
(6) OTHER _____
(7) DAMAGED, CONDITION UNKNOWN
(8) NOT APPLICABLE *(NOT EQUIPPED/NOT DEPLOYED)*
(9) UNKNOWN IF EQUIPPED OR CONDITION

0 (18)

DRIVER SIDE

AIRBAG
STEERING WHEEL

TETHER — 2 straps

(0) NO
(1) YES
(6) OTHER
(7) UNKNOWN IF TETHERED
(8) NOT APPLICABLE *(NO AIRBAG)*
(9) UNKNOWN IF AIRBAG EQUIPPED

1 (19)

MARKED BY CONTACT

(0) NO
(1) YES
(8) NOT APPLICABLE *(NO AIRBAG)*
(9) UNKNOWN

0 (20)

PASSENGER SIDE

AIRBAG
INSTRUMENT PANEL (GLOVE BOX)

TETHER

(0) NO
(1) YES
(6) OTHER _____
(7) UNKNOWN IF TETHERED
(8) NOT APPLICABLE *(NO AIRBAG)*
(9) UNKNOWN IF AIRBAG EQUIPPED

0 (21)

MARKED BY CONTACT

(0) NO
(1) YES
(8) NOT APPLICABLE *(NO AIRBAG)*
(9) UNKNOWN

0 (22)

AIRBAG NUMBER ON DRIVER SIDE:

NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:

Driver Airbag



Driver Airbag Doors



H-Pattern

Vents: (Y) N
if yes, how many: 2

Tethers: (Y) N
if yes, how many: 2

AIRBAG NUMBER ON PASSENGER SIDE:

NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:

Passenger Airbag



Passenger Airbag Doors
Single Door



Vents: Y (N)
if yes, how many: _____

Tethers: Y (N)
if yes, how many: _____

NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION *AND* INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 *TO DESCRIBE THEM*
AND ATTACH THE COPIES TO THIS REPORT.

Duplicate columns 1-8 from the previous card. Module O C (9 10) Format 0 2 (11 12)

OCCUPANT INFORMATION OC-1

OCCUPANT IDENTIFICATION

OCCUPANT NUMBER — 01 (13 14)

ROLE OF OCCUPANT AT 1ST IMPACT — 1 (15)

(1) MOTOR VEHICLE DRIVER
(2) MOTOR VEHICLE PASSENGER *(NOT DRIVER)*
(9) UNKNOWN

OCCUPANT POSITION

ROW LOCATION — 1 (16)

(1) FRONT
(2) SECOND
(3) THIRD
(4) FOURTH
(7) OTHER: _____
(8) EXTERNAL TO PASSENGER COMPARTMENT *(E.G. BED OF PICKUP)*
(9) UNKNOWN

LATERAL LOCATION — 1 (17)

(1) LEFT
(2) LEFT CENTER
(3) CENTER
(4) RIGHT CENTER
(5) RIGHT
(6) ALL *(LYING ON SEAT)*
(8) EXTERNAL TO PASSENGER COMPARTMENT
(9) UNKNOWN

POSTURE — 10 (18 19)

(10) SITTING ON SEAT
(11) SITTING ON SEAT IN ABNORMAL POSITION *(E.G. FEET ON DASH, SIDEWAYS)*
(12) SITTING ON CONSOLE
(20) ON LAP OR IN ARMS
(30) STANDING ON SEAT
(40) STANDING ON FLOOR
(47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT
(50) IN BASSINET
(60) IN CHILD SEAT
(65) IN CHILD HARNESS
(70) LYING ON SEAT
(80) LYING/SITTING ON PASSENGER FLOOR
(83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: _____
(85) ON CARGO FLOOR/FOLDED SEAT-BACK
(87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT
(97) OTHER: _____
(99) UNKNOWN

PHYSICAL DESCRIPTION

AGE IN YEARS — 28 (20 21)
(00) LESS THAN 1 YEAR
(98) 98 YEARS OR OLDER
(99) UNKNOWN

AGE IN MONTHS — 25 (22 23)
(00) LESS THAN 1 MONTH
(25) 25 MONTHS OR OLDER
(99) UNKNOWN

MASS *(kg)* — 104 (24 25 26)
(999) UNKNOWN

HEIGHT *(cm)* — 183 (27 28 29)
(999) UNKNOWN

SEX — 1 (30)
(1) MALE
(2) FEMALE
(9) UNKNOWN

MEDICAL CONDITIONS

TREATMENT/MORTALITY — 04 (31 32)
(00) NONE
(01) FIRST AID AT SCENE
(02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED
(03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS
(04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT
(05) FATAL, DEAD AT SCENE
(06) FATAL, DOA
(07) FATAL, DEAD WITHIN 24 HOURS
(08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER
(09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER
(10) FATAL DEAD WITHIN UNKNOWN PERIOD
(99) UNKNOWN

INJURY SEVERITY SCORE *(ISS)* — 10 (33 34)
(99) UNKNOWN

NON-IMPACT MED. CONDITIONS — 0 (35)
(0) NONE
(1) YES, TIME & TYPE UNKNOWN
(2) PRE-CRASH FATAL *(CLINICAL DEATH AT WHEEL)*
(3) PRE-CRASH NON-FATAL *(E.G. PRIOR INJURY, STROKE)*
(4) PREGNANT
(5) POST-CRASH FATAL *(DROWNING)*
(6) POST-CRASH NON-FATAL INJURY
(7) OTHER: _____
(8) COMBINATION OF ABOVE *(CIRCLE EACH)*
(9) UNKNOWN

OCCUPANT INFORMATION OC-2

MEDICAL CONDITIONS (CONT.)

POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT

(0) O - NO INJURY
(1) C - POSSIBLE INJURY
(2) B - NON-INCAPACITATING
(3) A - INCAPACITATING INJURY
(4) K - FATAL
(5) INJURED, SEVERITY UNKNOWN
(6) DIED PRIOR TO IMPACT
(7) NON-FATAL INJURY, SEVERITY UNKNOWN
(9) UNKNOWN

3 (36)

RESTRAINT SYSTEM

ACTIVE RESTRAINT SYSTEM

(0) NONE
(1) LAP BELT
(2) SHOULDER HARNESS ONLY
(3) BOTH LAP BELT & SHOULDER HARNESS
(9) UNKNOWN

3 (37)

ACTIVE RESTRAINT SYSTEM USAGE

(0) NONE *(AVAILABLE BUT NOT USED)*
(1) LAP BELT ONLY
(2) SHOULDER HARNESS ONLY
(3) BOTH LAP BELT & SHOULDER HARNESS
(7) IMPROPER USAGE
(8) NOT APPLICABLE *(NONE AVAILABLE)*
(9) UNKNOWN

0 (38)

PASSIVE RESTRAINT SYSTEM

(0) NONE
(1) AIRBAG INSTALLED
(2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS
(3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS
(4) PASSIVE LAP & UPPER TORSO
(5) AIRBAG INSTALLED & PASSIVE RESTRAINT
(7) OTHER: _____
(9) UNKNOWN

1 (39)

PASSIVE RESTRAINT SYSTEM USAGE

(0) SYSTEM DEFEATED
(1) AIRBAG NOT DEPLOYED
(2) AIRBAG DEPLOYED
(3) AIRBAG NOT REINSTALLED
(4) PASSIVE UPPER TORSO USED
(5) PASSIVE LAP & UPPER TORSO USED
(6) SYSTEM USED IN MANUAL MODE
(7) IMPROPER USAGE
(8) NOT APPLICABLE *(NOT ORIGINALLY EQUIPPED)*
(9) UNKNOWN

2 (40)

CHILD SEAT TYPE

(00) NONE USED
(01) YES, USED
(02) INTEGRAL, Chrysler Mini-van
(88) NOT APPLICABLE *(ADULT OR OLDER CHILD)*
(99) UNKNOWN

88 (41 42)

CHILD SEAT MAKE/MODEL

_____

_____

_____

EJECTION

DEGREE OF EJECTION

(0) NONE
(1) PARTIAL
(2) COMPLETE
(7) EJECTED, DEGREE UNKNOWN
(9) UNKNOWN IF EJECTED

0 (43)

AREA OF EJECTION

(01) WINDOW, LEFT SIDE
(02) WINDOW, RIGHT SIDE
(03) WINDOW, REAR
(04) DOOR, LEFT SIDE
(05) DOOR, RIGHT SIDE
(06) DOOR, REAR OR TAILGATE
(07) WINDSHIELD
(08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA
(96) EJECTED AREA UNKNOWN
(97) OTHER AREA: _____
(98) NOT APPLICABLE *(NOT EJECTED)*
(99) UNKNOWN IF EJECTED

98 (44 45)

IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW:

_____

_____

_____

_____

HEAD RESTRAINT

HEAD RESTRAINT AVAILABLE FOR THIS POSITION

(0) NOT EQUIPPED OR REMOVED
(1) EQUIPPED
(9) UNKNOWN

1 (46)

OCCUPANT INFORMATION OC-3

OCCUPANT EYEWEAR		SOURCE OF INFORMATION	
(0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER _____ (8) NOT APPLICABLE (9) UNKNOWN	9 47	(0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER _____ (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	1 48

INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card. Module 1 (9) C (10) Format 0 (11) 1 (12)

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).
Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

					PRIMARY OIC					ASSOCIATED OIC					*COMMENTS*
OCCUPANT NUMBER	INJURY NUMBER	*PLACE CONTACTS IN ORDER OF PROBABILITY (HORIZONTALLY). START WITH MOST PROBABLE IN 1ST CONTACT AREA COLUMN.* AREA(S) OF POSSIBLE CONTACT 1ST	2ND		BODY REGION 1	ASPECT 2	LESION 3	SYSTEM/ORGAN 4	SEVERITY 5	BODY REGION 1	ASPECT 2	LESION 3	SYSTEM/ORGAN 4	SEVERITY 5	
13-14	15-16	17-18	19-20	*COMMENTS*	21	22	23	24	25	26	27	28	29	30	
01	01	87	86		C	R	A	I	1						
	02	65	12		W	L	F	S	1						
	03	86			A	R	F	S	3						
	04	86			R	R	A	I	1						
	05	65	12		W	L	C	I	1						
	06	48			T	R	F	S	3						
	07	48			T	R	F	S	3						
	08	48			L	R	A	I	1						
	09	48			L	L	A	I	1						
	10	20			T	L	C	I	1						

Duplicate "Occupant Number" for each line.

NOTE: USE ADDITIONAL PAGES IF NECESSARY.

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT OF PASSENGER COMPARTMENT

(10) SUNVISOR, FITTING*(S)* &/OR TOP MOLDING
(12) WINDSHIELD

(05) INSTRUMENT PANEL *(SPECIFIC AREA UNKNOWN)*
(54) UPPER INSTRUMENT PANEL *(X)*
(55) MIDDLE INSTRUMENT PANEL *(Y)*
(56) LOWER INSTRUMENT PANEL *(Z)*
(81) ASH TRAY *(INSTRUMENT PANEL)*
(02) GLOVE COMPARTMENT AREA
(47) AIRBAG *(ACRS)* COMPARTMENT DOOR/COVER

(57) BENEATH INSTRUMENT PANEL
(53) PARCEL TRAY
(48) KNEE RESTRAINT
(86) VERTICAL CONSOLE

(28) FOOT CONTROLS *(INCL. PARKING BRAKE PEDAL)*

(09) STEERING ASSEMBLY *(SPECIFIC AREA UNKNOWN)*
(65) STEERING WHEEL
(66) STEERING WHEEL COLUMN
(59) TRANSMISSION LEVER ON COLUMN

(03) HARDWARE ITEM *(SPECIFIC AREA UNKNOWN)*
(82) INSTRUMENT*(S)*
(83) CONTROL KNOB*(S)* & LEVER*(S) (FRONT)*
(84) PARKING BRAKE HANDLE IN FRONT
(67) IGNITION KEY
(06) MIRROR
(04) HEATER OR AIR CONDITIONING DUCTS
(01) AIR CONDITIONING OR VENTILATION OUTLET*(S)*
(08) RADIO *(BUILT IN)*
(58) ADD-ON TAPE DECK, RADIO, A/C
(68) ROOF MOUNTED CONTROLS/CONSOLES

REAR

(88) SURFACE OF REAR INTERIOR
(23) REAR WINDOW
(39) REAR WINDOW HEADER
(50) REAR SEAT CUSHION & BACK

INTERIOR-GENERAL

(11) TRANSMISSION SELECTION LEVER *(LOCATION UNK.)*
(59) TRANSMISSION LEVER ON STEERING COLUMN
(44) TRANSMISSION LEVER ON FLOOR OR CONSOLE
(07) PARKING BRAKE HANDLE *(LOCATION UNKNOWN)*
(84) PARKING BRAKE HANDLE IN FRONT
(85) PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(28) FOOT CONTROLS *(INCL. PARKING BRAKE PEDAL)*

(29) FRONT SEAT-BACK*(S)*
(51) FRONT SEAT CUSHION
(50) REAR SEAT CUSHION & BACK
(49) ARMREST ON SEAT
(89) UNDER SEAT BOTTOM

(33) RESTRAINT SYSTEM HARDWARE
(34) RESTRAINT SYSTEM WEBBING
(87) AIR CUSHION SKIN *(AIRBAG)*
(47) AIRBAG *(ACRS)* COMPARTMENT DOOR/COVER
(46) AIRBAG GAS
(48) KNEE RESTRAINT
(30) HEAD RESTRAINT
(42) CHILD SEAT RESTRAINTS
(43) CHILD SEAT
(31) INTERIOR LOOSE OBJECT
(32) OTHER OCCUPANT*(S)*
(52) INTERNAL FLYING GLASS *(FROM ANY SOURCE)*
(41) UNKNOWN INTERIOR SURFACE

SIDES

(20) SURFACE OF SIDE INTERIOR
(19) HARDWARE ON SIDE OR DOOR
(13) ARMREST ON SIDE OR DOOR
(24) COAT HOOK

(22) WINDOW GLASS *(SIDE)*
(21) WINDOW FRAMES *(SIDE)*

(26) ROOF SIDE RAIL
(14) A-PILLAR
(15) B-PILLAR
(16) C-PILLAR
(17) D-PILLAR

FLOOR

(40) FLOOR
(27) CONSOLE ON FLOOR OR BETWEEN SEATS
(44) TRANSMISSION LEVER ON FLOOR OR CONSOLE
(85) PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(28) FOOT CONTROLS *(INCL. PARKING BRAKE PEDAL)*
(91) KICKPANEL

ROOF

(25) ROOF OR CONVERTIBLE TOP
(10) SUNVISOR, FITTING*(S)* &/OR TOP MOLDING
(26) ROOF SIDE RAIL
(24) COAT HOOK
(18) DOME LIGHT
(39) BACKLIGHT HEADER
(68) ROOF MOUNTED CONTROLS/CONSOLE
(69) ROLL BAR

EXTERIOR SURFACE OF CASE VEHICLE

(37) OUTSIDE SURFACE OF CASE VEHICLE *(SPECIFIC AREA UNKNOWN)*
(35) HOOD OF CASE VEHICLE
(60) EXTERIOR OF CASE VEHICLE *(E.G. OUTSIDE MIRRORS, ANTENNA, TRIM)*
(62) EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(63) TRUNK LID OF CASE VEHICLE
(64) TIRES OF CASE VEHICLE

BEYOND CASE VEHICLE BOUNDARY

(36) AREA EXTERIOR TO CAR *(SPECIFIC AREA UNK.)*
(70) HOOD OF OTHER VEHICLE
(71) OTHER VEHICLE EXTERIOR HARDWARE *(E.G. OUTSIDE MIRRORS, ANTENNA, TRIM)*
(73) EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(74) HEADLIGHT OR FRONT GRILL OF OTHER VEH.
(75) TRUNK OF OTHER VEHICLE
(76) OUTSIDE SURFACE OF OTHER VEHICLE
(77) TIRES OF OTHER VEHICLE
(78) GROUND
(79) WATER
(80) EXTERIOR OBJECT *(NOT VEHICLE, GROUND, OR WATER. PLEASE DESCRIBE.)*

PENETRATING OBJECTS

(61) OTHER VEHICLE
(72) OBJECTS *(DESCRIBE)*

MISCELLANEOUS

(00) NO CONTACT *(INVALID FIELD FORM CODE)*
(38) OTHER *(E.G. FIRE. DESCRIBE)*
(90) - SPARE TIRE
(96) INDUCED
(97) EJECTED, UNKNOWN CONTACT
(98) IMPACT FORCE, "WHIPLASH", HYPEREXTENSION/COMPRESSION
(99) UNKNOWN AREA OF CONTACT

THE FIGURE BELOW
IS AN EXPLANATION OF THE BODY REGION CODES
LISTED ON PAGE IC - 4.



CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

1 BODY REGION

(H) HEAD/SKULL
(F) FACE
(N) NECK
(S) SHOULDER
(X) UPPER EXTREMITIES
(A) ARM *(UPPER)*
(E) ELBOW
(R) FOREARM
(W) WRIST/HAND
(C) CHEST
(M) ABDOMEN
(B) BACK
(P) PELVIC/HIP
(Y) LOWER EXTREMITIES
(T) THIGH
(K) KNEE
(L) LEG *(LOWER)*
(Q) ANKLE/FOOT
(O) WHOLE BODY
(U) UNKNOWN

2 ASPECT

(R) RIGHT
(L) LEFT
(B) BILATERAL
(C) CENTRAL
(A) ANTERIOR/FRONT
(P) POSTERIOR/BACK
(S) SUPERIOR/UPPER
(I) INFERIOR/LOWER
(W) WHOLE REGION
(U) UNKNOWN

3 LESION

(L) LACERATION
(C) CONTUSION
(A) ABRASION
(F) FRACTURE
(P) PERFORATION, PUNCTURE
(K) CONCUSSION
(V) AVULSION
(R) RUPTURE
(S) SPRAIN
(D) DISLOCATION
(N) CRUSH
(M) AMPUTATION
(B) BURN
(G) DETACHMENT, SEPARATION
(Z) FRACTURE AND DISLOCATION
(T) STRAIN
(E) TOTAL SEVERANCE, TRANSECTION
(O) OTHER
(U) UNKNOWN

4 SYSTEM/ORGAN

(S) SKELETAL
(V) VERTEBRAE
(J) JOINTS
(D) DIGESTIVE
(L) LIVER
(N) NERVOUS SYSTEM
(B) BRAIN
(C) SPINAL CORD
(E) EARS
(O) EYES
(A) ARTERIES
(H) HEART
(Q) SPLEEN
(G) UROGENITAL
(K) KIDNEYS
(R) RESPIRATORY
(P) PULMONARY/LUNGS
(M) MUSCLES
(T) THYROID, OTHER ENDOCRINE GLAND
(I) INTEGUMENTARY *(SKIN)*
(W) ALL SYSTEMS IN REGION
(U) UNKNOWN

BODY REGION	ASPECT	LESION	SYSTEM/ORGAN	SEVERITY
1	2	3	4	5

5 SEVERITY
(OR "AIS", ABBREVIATED INJURY SCALE)

(0) NONE
(1) MINOR
(2) MODERATE
(3) SERIOUS
(4) SEVERE
(5) CRITICAL
(6) MAXIMUM
(9) UNKNOWN


Case No.: 202-00
Veh. (A): 1999 Pontiac
Type: Grand Am, 2-door coupe
Driver: 28-year-old male
Light Conditions: Dark; unlighted
Weather: Clear
Road Surface: Dry
Road Construction: Asphalt
North
Speed limit 55 mph
Gravel
A1
A2
A3
A4
Gravel

PN 20200 #1

PN 20200 #2

PN 20200 #3

PN 20200 #4
Best Available

PN 20200 #5
Best Available

PN 20200 #6
Best Available



PN 20200 #7
Best Available

PN 20200 #8

PN 20200 #9

PN 20200 #10

PN 20200 #11

PN 20200 #12



PN 20200 #13
Best Available

PN 20200 #14

PN 20200 #15
Best Available

PN 20200 #16
Best Available



PN 20200 #17
Best Available

PN 20200 #18

PN 20200 #19

PN 20200 #20
Best Available

PN 20200 #21

PN 20200 #22

PN 20200 #23



PN 20200 #24

PN 20200 #25

PN 20200 #26

PN 20200 #27

PN 20200 #28

PN 20200 #29

PN 20200 #30

PN 20200 #31

PN 20200 #32

PN 20200 #33

PN 20200 #34

PN 20200 #35

PN 20200 #36

PN 20200 #37

PN 20200 #38

PN 20200 #39

PN 20200 #40

PN 20200 #41



PN 20200 #42

PN 20200 #43

CASE NO.: 202-00

CASE VEHICLE: 1999 Pontiac

TYPE: Grand Am, 2-door coupe

OCCUPANT: (Driver): 28-year-old male

STATURE: 183 cm (6 ft, 0 in) MASS: 104 kg (230 lb)

RESTRAINTS: 3-point belt not worn; airbag deployed

SEVERITY: MAIS - 3 ISS -10



PN 20200 #44